MICROCONTAMINATION CONTROL

# Fluorogard® PE Bulk Chemical Filters

Cost-effective solution for clean, high-flow bulk chemical filtration

Filter cleanliness and contamination control are critical requirements for bulk chemical makers and high-viscosity resist makers. These manufacturers also demand that filters deliver high-flow performance with good retention and at a low cost of ownership.

Fluorogard® PE bulk chemical filters offer a cost-effective solution for enabling clean, high-flow bulk chemical filtration of acids, bases, solvents, resists, or other chemicals. Engineered as a clean filter with good retention and particle removal capabilities, Fluorogard PE ensures filter cleanliness and enables cleaner chemical filtration. The hydrophobic PTFE membrane, combined with rugged HDPE supports and molded parts, enhances chemical compatibility, controls contamination with low metal extractable and particle shedding, and prevents cross-contamination of filtered chemicals. The large membrane filtration area improves flow rate performance, increases filter lifetime, making Fluorogard PE ideal for filtering larger chemical batches in less time than comparable filters.

#### **APPLICATIONS**

- Bulk chemicals (nonoxidizing acids, bases, and solvent blends)
- High-viscosity photoresist and photochemicals
- General process chemicals (aqueous cleaning detergents and chemicals)
- Applications that include regular filter changeouts batch to batch



#### **FEATURES & BENEFITS**

Hydrophobic PTFE membrane with HDPE supports and molded parts Engineered as a clean filter

- Enables good retention and particle removal capabilities
- Controls contamination with low metal extractable and particle shedding
- Prevents cross-contamination of filtered chemicals

Large membrane filtration area

Improves flow rate performance

Increases filter lifetime

Enables filtration of larger chemical batches in less time than comparable filters

Broad chemical compatibility

Non-oxidizing acids, bases, and solvent blends

Aqueous cleaning detergents and chemicals

High-viscosity photoresist and photochemicals




#### **SPECIFICATIONS**

Materials	Membrane	Hydrophobic PTFE	
	Supports, core, sleeve, and end caps	High-density Polyethylene (HDPE)	
	O-ring	E-FKM	
Connections	Code 0 (AS568-222 O-rings with flat end)		
	Code 5 (AS568-222 O-rings with fin end)		
	Code 7 (AS568-226 O-rings with fin en	d)	
Retention rating	10, 30 nm, 0.05, 0.1, 0.2, 0.5, 1.0, 3.0, and 10.0 μm		
Operating conditions	Maximum forward differential pressure:		
	0.34 MPa (49 psi) @ 25°C (77°F)		
	Maximum operating temperature:		
	70°C (158°F)		


# PERFORMANCE DATA

# Fluorogard PE 10" Cartridge Filters (70 mm dia.)




# **ORDERING INFORMATION**

# Fluorogard PE Bulk Chemical Filters: part number



# **DIMENSIONS**


# Fluorogard PE Filters – Code 0



Length	A	В
10"*	262.0 mm (10.31")	245.0 mm (9.65")
20"	506.0 mm (19.92")	489.0 mm (19.25")
30"	750.0 mm (29.53")	731.0 mm (28.78")

<sup>\*</sup>Note: 10" shown.


# Fluorogard PE Filters – Code 5



Length	Α	В
10"*	309.0 mm (12.17")	243.0 mm (9.57")
20"	553.0 mm (21.78")	487.0 mm (19.17")
30"	801.0 mm (31.54")	733.0 mm (28.86")

<sup>\*</sup>Note: 10" shown.

# Fluorogard PE Filters – Code 7



Length	A	В
10"*	311.0 mm (12.24")	238.0 mm (9.37")
20"	557.0 mm (21.93")	484.0 mm (19.06")
30"	804.0 mm (31.65")	731.0 mm (28.78")

<sup>\*</sup>Note: 10" shown.

#### FOR MORE INFORMATION

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit <u>entegris.com</u> and select the <u>Contact Us</u> link to find the customer service center nearest you.

#### TERMS AND CONDITIONS OF SALE

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, visit  $\underline{\text{entegris.com}}$  and select the  $\underline{\text{Terms } \& \text{Conditions}}$  link in the footer.



Corporate Headquarters 129 Concord Road Billerica, MA 01821 USA Customer Service
Tel +1 952 556 4181
Fax +1 952 556 8022
Toll Free 800 394 4083

Entegris®, the Entegris Rings Design™, Pure Advantage™, and other product names are trademarks of Entegris, Inc. as listed on <u>entegris.com/trademarks</u>. All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2015-2018 Entegris, Inc. | All rights reserved. | Printed in the USA | 4419-7780ENT-0418